






## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>C07D 249/08, 233/64, 231/12, C07F 9/6518, 9/6503, A61K 31/41, 31/675</b>		<b>A1</b>	(11) International Publication Number: <b>WO 98/55463</b>
		(43) International Publication Date: 10 December 1998 (10.12.98)	
(21) International Application Number: PCT/EP98/03496 (22) International Filing Date: 4 June 1998 (04.06.98) (30) Priority Data: MI97A001328          5 June 1997 (05.06.97)          IT (71) Applicant (for all designated States except US): IRILAB LTD. [IE/IE]; Merchant's House, 27/30 Merchant's Quay, Dublin 8 (IE). (72) Inventor; and (75) Inventor/Applicant (for US only): ROSSI, Carla [IT/IT]; Via Cadore, 15, I-20135 Milano (IT). (74) Agent: TRUPIANO, Roberto; Brevetti Europa S.r.l., Piazza Bernini, 6, I-20133 Milano (IT).		(81) Designated States: JP, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(54) Title: DIPHENYL-TRIAZOLE DERIVATIVES AND THEIR USE AS ANTI-GESTATIVE, IMMUNO-SUPPRESSANT AND ANTI-TUMORAL AGENTS			
<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  <p>(I)</p> </div> <div style="text-align: center;">  <p>(II)</p> </div> <div style="text-align: center;">  <p>(III)</p> </div> </div>			
(57) Abstract  Compounds of formula (I), wherein X and Y are independently carbon or nitrogen (but no both simultaneously carbon), R <sub>1</sub> is a group (II) and R <sub>2</sub> is a group (III), R <sub>5</sub> being a carbonate, carbamate or phosphate residue, are useful as anti-gestative, immuno-suppressant and anti-tumour agents.			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## DIPHENYL-TRIAZOLE DERIVATIVES AND THEIR USE AS ANTI-GESTATIVE, IMMUNO-SUPPRESSANT AND ANTI-TUMORAL AGENTS

5

## OBJECT OF THE PRESENT INVENTION

Objects of the present invention are nitrogen heterocyclic aromatic derivatives and their use as anti-gestative, immunosuppressant and anti-tumoral agents.

10


Object of the present invention is also a procedure for the preparation of nitrogen heterocyclic aromatic derivatives.

Object of the present invention is again a pharmaceutical composition which contains, as active principle, at least one heterocyclic aromatic according to the present invention.

## STATUS OF THE TECHNIQUE

Chemical classes of compounds endowed with anti-gestative activity are known, more specifically BE 866,728 reports a class of 3, 5-diphenyl-1H-1, 2, 4 triazoles of the

25




following general formula:

where  $R_1$  is an alkyl group  $C_1-C_4$ .

5 EP11129 reports 1, 2, 4 triazoles derivatives of the following general structure:

10




15

where  $R$  is hydrogen or methyl and  $R_1$  is hydrogen or an alkyl group  $C_1-C_4$ , or  $R_1$  and  $R_2$  together form an additional bond between the carbon and oxygen atoms.

BE 879,732 reports a class of compounds showing the  
20 following general structure:

where, among the other possible substitutions,  $R$  is an

25



hydrogen or a  $R_5$ -CO group where  $R_5$  is chosen among alkyl  $C_1$ - $C_4$ , alkenyl  $C_2$ - $C_4$  and alkynyl  $C_2$ - $C_4$ , whereas  $R_2$  is a -CH( $R_7$ )OR<sub>8</sub> where  $R_7$  is an hydrogen or methyl and  $R_8$  is like  
5  $R_5$ -CO.

In the above mentioned disclosed documents, the pharmacological data show how these compounds display a high anti-gestative activity after repeated parenteral administrations (daily up to 5 consecutive days). The  
10 literature describes the compound 3-(2-ethyl-phenyl)-5-(3-methoxy-phenyl)-1H-1,2,4-triazole, also identified by the code DL 111-IT (Reviews on Drug Metabolism & Drug Interactions, Vol. IV, N. 2&3, 1982, A. Assandri, A: Omodei-Sale', G. Galliani).


15 The mentioned DL 111-IT, reported in BE 879,732, did show an interesting anti-gestative activity in all the investigated animal species including the mouse, the rat, the hamster, the dog and monkeys. DL 111-IT has been  
20 proposed as anti-gestative agent for human use.

These previously disclosed anti-gestative compounds, including the compound DL 111-IT, when tested according to a protocol which foresee a single dose parenteral treatment, displayed their activity at doses much higher  
25 than those required by multiple dose regimens.

EP0080053 describes 3, 5 diphenyl-1H-1, 2, 4 triazole derivatives that, as compared to the previously reported derivatives, have been structurally modified in order to  
5 obtain a high anti-gestative activity after a single-dose parenteral administration by subcutaneous and intramuscular route.

The compounds described in EP0080053 have the following general structure:

10



15

where, R is chosen between hydrogen and R<sub>5</sub>CO-, where R<sub>5</sub> is a saturated or non-saturated aliphatic C<sub>1</sub>-C<sub>20</sub> hydrocarbon chain, R<sub>1</sub>, R<sub>2</sub> and R<sub>3</sub> are chosen among  
20 hydrogen and short-chain alkyl or alkoxy, or R<sub>1</sub> and R<sub>2</sub> together form a methylenedioxy group, R<sub>4</sub> is a saturated or non-saturated aliphatic C<sub>1</sub>-C<sub>20</sub> hydrocarbon group.

The above mentioned derivatives, when given by single  
25 dose to rodents, displayed a high anti-gestative activity. This activity was however shown to be highly

species-specific. Actually, while in rodents it was very high, in the higher mammal species, like the dog, the anti-gestative activity markedly decreased, due to a too slow hydrolysis rate of the administered products that undergo metabolism before the active principle become bioavailable.

#### OBJECTIVES OF THE INVENTION

Objective of the present invention is to make available nitrogen heterocyclic aromatic derivatives endowed with high anti-gestative activity when administered as single dose to different animal species including higher mammals and man.

Objective of the present invention is also to make available nitrogen heterocyclic aromatic derivatives endowed with high immuno-suppressant activity.

Again, objective of the present invention is to make available nitrogen heterocyclic aromatic derivatives endowed with non species-specific anti-gestative, immuno-suppressant and anti-tumour activity.

Again, objective of the present invention is to make available nitrogen heterocyclic aromatic derivatives endowed with a sustained duration of action, thus able to display the desired activity by a single-dose treatment


(anti-gestative activity) or by multiple dose treatments with wide inter-administration time intervals (immunosuppressant and anti-tumour activities).

5 Objective of the present invention is also to make available a pharmaceutical formulations, containing at least one nitrogen heterocyclic aromatic derivative as active principle, easy to be administered, well tolerated and able to allow a high therapeutic index.

10

#### DESCRIPTION OF THE INVENTION

These and other objectives with further advantages which are clarified in the description below, are obtained by the nitrogen heterocyclic aromatic derivatives having the  
15 following general formula:



20 where:

-when  $X=Y$ ,  $X, Y=N$ ;

-when  $X=Y$ ,  $X, Y=N, C, CH$ ;


-R is chosen between hydrogen,  $-COR_8$  where  $R_8$  is a saturated or non-saturated  $C_1-C_{10}$  aliphatic hydrocarbon,  
25



or R represents any other group able to form a bond with a nitrogen atom;

-  $R_1$  has the following general formula:


5




10 where  $R_3$  is chosen among hydrogen, halogen, alkyl or alkoxy  $C_1-C_{10}$ ,  $R_4$  is chosen among hydrogen, alkyl or alkoxy  $C_1-C_{10}$ , or  $R_3$  and  $R_4$  together form a methylenedioxy group;

-  $R_2$  has the following general structure:

15



20 where  $R_5$  is chosen among:




where  $Z=OR_7$  with  $R_7$  is chosen among a saturated or non-saturated, linear or branched  $C_1-C_{20}$  aliphatic

25

hydrocarbon, or is chosen according to the following formula:

5






(XII)

10 where R, R<sub>1</sub>, X and Y are defined as above and R<sub>6</sub> is chosen among hydrogen, halogen, alkyl or alkoxy C<sub>1</sub>-C<sub>10</sub>, or Z is chosen equal to NHR<sub>8</sub> where R<sub>8</sub> is a linear or branched C<sub>1</sub>-C<sub>20</sub> alkyl chain. Mentioned R<sub>1</sub> and R<sub>2</sub> are never located on two adjacent atoms of the heterocyclic  
15 aromatic ring.


According to the present invention, the term saturated or non-saturated aliphatic hydrocarbon means a linear or branched alkyl, alkenyl or alkynyl chain which contains one or more double or triple bonds. Always according to  
20 the present invention, the term alkyl or alkoxy means a linear or branched alkyl or alkoxy group.

Namely, the mentioned nitrogen heterocyclic aromatic derivative of formula (I) is a derivative of pyrazole, imidazole and 1H-1, 2, 4-triazole respectively:

25



5 According to the present invention, the mentioned derivative of formula (I) is a triazole derivative having the following general formula:



(IV)


where  $X=Y=N$ , while the other substituents are defined as  
15 for the derivative of formula (I).

Of particular interest are those derivatives of formula (IV) where  $R_6$  is hydrogen,  $R_4$  is  $-OCH_3$  or  $-OCH_2CH_3$ ,  $R_3$  is hydrogen,  $R_5$  is chosen equal to  $COZ$  where  $Z=OR_7$  with  $R_7$  as a saturated linear aliphatic  $C_1-C_{12}$  hydrocarbon.

20 Always according to the present invention, of particular interest were those derivatives having the following formulas:


10

5




(V)

10




(VI)

15



(VII)


20




(VIII)

25


11



(XVI)




(XIII)



(XIV)


25

12




In addition according to the present invention, of particular interest were the two derivatives having the following formulas:

10



25



(XVIII)

As reported in the literature, see Potts K.T , J: Chem.  
10 Soc. 3451, (1954) and Potts K.T., Chem. Rew. 61, 99  
(1961), Kubota and Uda, Chem. Pharm. Bull. 23(5), 955  
(1975), due to the high mobility of the hydrogen atoms of  
1, 2, 4-triazoles, compounds of formula (I) of the  
present invention where  $X=Y=N$ , are to be regarded as a  
15 mixture of two tautomeric forms, i.e. those in which the  
hydrogen atom is located on one or the other of the two  
adjacent nitrogen atoms of the triazole ring. Depending  
on the nature of the substitutes at the 3 and 5  
positions, a form may predominate on the other one.  
20 Consequently, both mentioned tautomeric forms must be  
considered as part of the present invention. It is known  
that tautomeric forms rapidly exchange in between and  
consequently behave as a dynamic equilibrium.

Anyway, throughout the whole description and claims  
25 relative to the present invention, 3, 5 diphenyl-1H-1, 2,

4-triazoles according to the present invention, will be numbered as reported above for derivative (V).

The derivatives of the present invention are provided of  
5 anti-gestation, immuno-suppressive and anti-tumour activities. Particularly, the anti-gestative activity is displayed by a single dose regime and it does not require a prolonged treatment. Furthermore, these derivatives show high therapeutic indexes, since a  
10 remarkable efficacy is achieved at doses much lower than the toxic ones able to induce undesirable adverse events. The compounds of the present invention of formula (I), when administered as a single parenteral injection displayed more than one pharmacological activity, namely:

15 (a) they have proven to be highly effective in terminating pregnancy in rodent and non-rodent animal species;

(b) they have proven to be highly effective in reducing  
20 both the humoral and cellular immunological response in animal models predictive for the pharmacological activity in humans

(c) in addition, the compounds of the present invention while lacking of effectiveness in different tumour  
25 models, showed a specific marked activity on an model of human chorio-carcinoma transplanted in nude mice.



The different pharmacological activities displayed by the derivatives object of the present invention, are  
5 attributable to a common mechanism of action.


The reference model which explains this multiple pharmacological action is an atypical rapidly proliferating cell system, the placenta.

As reported by Aitken, Beaconsfield and Ginsler in their  
10 comprehensive review  $\square$  Origin and formation of the placenta $\square$ , this system, during its early stage of development, has strong similarities to tumour (1 ). Among these in particular, the placenta is tolerated by the maternal host due to an alteration of the immune  
15 responsiveness with no inflammatory response to blastocyst and/or throphoblast invasion.

Biochemical studies on placental tissue, during the early post-implantation period, demonstrated that the contra-gestational activity of 3,5 diaryl-1H-1,2,4-triazoles  
20 occurs through a selective action on the decidual and throphoblastic cells. Reasonably, this selective anti-proliferative action can also account for the activity of 3,5 diaryl-1H-1,2,4-triazoles against a gestational tumour like chorio-carcinoma. Finally, the immuno-  
25 suppressant response, which closely relates to the contra-gestational potency of 3,5 diaryl-1H-1,2,4-

triazoles , may either be the early or the late response of the primary biochemical alterations.

5 The derivatives object of the present invention are characterised by the presence of an easily hydrolysed bond through non species-specific enzymatic reactions occurring on  $R_5$  group ; this hydrolysis allows the release of the active principle that can display its in  
10 vivo action. The characteristic bond of  $R_5$  group present in the derivatives object of the present invention, is different from the bonds described in the already disclosed derivatives, and it can be hydrolysed according to different mechanisms of reaction. Because of  
15 these properties , unlike the compounds already disclosed, the compounds objective of the present invention are also effective in higher mammal species, including humans. With the aim of evaluating whether inter-species difference could exist in the enzymatic  
20 reactions of the ester bond, compounds (XV), (XIV, VI) ad some known derivatives described in EP0080053 (compounds A ,B and C) have been tested *in vitro*:



where when  $R_4$  is chosen as  $-C_3 H_7$  the compound is named A;

where when  $R_4$  is chosen as  $-C_7 H_{15}$  the compound is named

B;

Where when  $R_4$  is chosen as  $-C_8 H_{23}$  the compound is named

C;

These compounds dissolved in an ethanol mother solution,  
when incubated in diluted (1:4 v/v, with saline, 0.9%

NaCl) rat, dog and human serum at a  $10^{-5}$  M concentration

for 1 hour at  $37^\circ\text{C}$  underwent enzymatic hydrolysis. The  
hydrolysis rates, expressed as nMoles/hour of the active  
principle formed, i.e. 3-(2-hydroxymethyl-phenyl)-5-(3-

ethoxyphenyl)-1H-1,2,4 triazole, corresponding to the

compound described in EP0080053, were measured. The

values obtained, reported in Table 1, show how, in the

higher species considered, i.e. the dog and man, the

known products A, B and C undergo hydrolysis very slowly

whereas compounds (XIV), (XV) and (VI), are rapidly

metabolised both by rat, dog and human serum.

**TABLE 1 : HYDROLYSIS RATE OF SELECTED 3-(3-ETHOXYPHENYL)-5-(2-ACYL-CARBOXYMETHYL-PHENYL)-1H-1,2,4 TRIAZOLES, COMPOUNDS (XV), (XIV) and (VI) AND SELECTED 3-(3-METHOXYPHENYL)-5-(2-ACYLOXYMETHYL-PHENYL)-1H-1,2,4 TRIAZOLES, COMPOUNDS (A), (B) AND (C)**

COMPOUND	Rate of Hydrolysis (nmoles/hour)		
	RAT	DOG	MAN
10 (XV)	≥ 120	≥ 120	≥ 120
A	≥ 120	16	12
(XIV)	≥ 120	≥ 120	≥ 120
B	≥ 120	3	2
(VI)	≥ 120	≥ 120	≥ 120
15 C	≥ 120	< 0.5	< 0.5

Since the metabolic attack (de-alkylation) of these structures, occurring in position meta with respect to the substituent R<sub>1</sub> of structure (II), gives rise to inactive or poorly active metabolites, a too slow hydrolysis of compounds A, B and C will lead to a marked reduction of the activity of these molecules in the higher species. On the contrary, as already mentioned, derivatives of the present invention of formula (I), can be usefully used in higher mammal species including the dog and man. The compounds of the present invention

actually represent a class of new non-hormonal, non-prostaglandin, like, post-coital, post-implantation anti-fertility agents particularly useful for terminating  
5 pregnancy in mammals following a single dose treatment at very low doses.

The pregnancy-terminating activity of the compounds of the present invention has been assessed by carrying out experiments in rats and dogs.

10 In particular, female Sprague Dawley rats weighing 200-230 g. were mated and the presence of sperm was detected, was considered day one of pregnancy.

Pregnancy was later confirmed at the time of autopsy by the presence of implantation sites in the uterus.


15 Test compounds dissolved in sesame oil containing 20% benzyl benzoate (or suspended if insoluble), were administered subcutaneously, in a single injection, on day 7 of gestation. The animals were then autopsied on day 16 of pregnancy and the uteri were examined for  
20 evidence of pregnancy (implantation sites, foetal resorption or live foetuses), haemorrhage, and evidence of abnormalities of the uterus, placenta or foetuses, for reference see G. Galliani et al. *Contraception*, 23, 163-180 (198)..

25 The compounds were tested at different doses in order to study the dose-activity relationship and their activity,

reported below in Table 2, has been expressed as ED<sub>50</sub> values.

These values identify the dose levels which terminate pregnancy (absence of live fetuses) in 50% of the treated animals. For comparison purposes, the ED<sub>50</sub> of some related triazoles previously disclosed (Belgian patents 866,728 and 879,732 and European patent application publication No. 11,129), are reported.

In particular compound D (active principle), has the following structural formula:



and it has been prepared as described in EP 11129, while compound E, prepared as described in BE 879732 and identified as DL111-IT, has the following formula:




TABLE 2 : PREGNANCY TERMINATION ACTIVITY IN S.D. RATS  
AFTER A SINGLE SUBCUTANEOUS INJECTION AT DAY 7 OF  
25 GESTATION

Compound	ED <sub>50</sub> mg/kg	ED <sub>50</sub> $\mu$ moles/kg
(XV)	15	27.2
(XIV)	8	20.3
(XVI)	5	11.8
(VI)	2	4.4
D*	16	54.6
E**	35	125.4

5  
10 \*5-(2-Hydroxymethylphenyl)-3-(3-ethoxy-phenyl)-1H-1, 2, 4-triazole described

in the European patent application Publication No. 11, 129

15 \*\*5-(2-Ethylphenyl)-3-(3-methoxyphenyl)-1H-1, 2, 4-triazole, DL 111-IT, described in

example 24 of Belgian patent 879, 732

20 The results obtained show how the compounds of formula (I) object of the present invention administered by a single parenteral injection are much more effective of the two compounds previously disclosed taken as reference.

25 Acute toxicity studies did show as the lethal doses of compounds (VI), LD<sub>50</sub> > 500 mg/kg, are of three order of magnitude higher than those anti-gestative.

In another experiment carried out in Beagle bitches (0.9 - 4.5 y, 7 - 12.5 kg), compound (VI), i.e. 3-(2-decanoyl-oxymethylphenyl)-5-(3-ethoxy phenyl)-1H-1, 2, 4-triazole, when administered as a single intramuscular dose between the day of mating and the 25th day of gestation was found to be highly effective and very well tolerated.

The compound was given intramuscularly in one depot site of the thigh muscle of the right hind leg dissolved in sesame oil at the dose of 5 mg/kg (11.1  $\mu$ moles/kg, 40 mg/mL, 0.2 mL/kg). The anti-gestative effectiveness was ascertained by exploratory laparotomy examining uterine horns where the presence of live or dead fetuses was deduced from the dimension and appearance of each uterine swelling, for methodological reference see G.Galliani et al., *J. Small Animal Practice*, 25, 211-222 (1984).

TABLE 3 : CONTRAGESTATIONAL EFFECT OF COMPOUND (VI), GIVEN AS SINGLE I.M. DOSES BETWEEN THE DAY OF MATING AND THE 14<sup>TH</sup> DAY OF GESTATION.

Administration (days of gestation)	Dose ( $\mu$ moles/kg)	No of bitches	Pregnancy arrest (%)
--	---------------------------	---------------	----------------------------



15	5 (11.1)	5	80
20	5 (11.1)	5	100
25	5 (11.1)	5	100

5

The compounds of the present invention displayed significant immuno-suppressive activity on both humoral and cellular immunity when administered during the inductive phase of the immuno response, i.e. soon after  
10 antigen challenge. In experimental models of auto-immunity and skin transplantation they were able to reduce auto-antibody production as well as to prolong the skin graft survival.

The immuno-suppressant activity of the compounds of the  
15 present invention was assessed by carrying out experiments in mice.

In detail, the *Antibody Response to Sheep Red Blood Cells (SRBC) and to Lipo-polysaccharide (LPS)*, was studied in B6D2F1 mice injected intravenously  $10^8$  SRBC (day 0).  
20 Direct (IgM) and indirect (IgG) plaque forming cells (PFC) were evaluated in the spleen 4 and 10 days later, Jerne et al. *Science* 140, 405 (1963) and Dresser and Wortis, *Nature*, 208, 859 (1965).

Indirect PCF were developed with rabbit anti-serum to  
25 mouse gamma globulin.

B6D2F1 mice were immunised with 20 µg LPS intra-peritoneally. Four days later, PCF were determined in the spleen by SRBC coated with LPS, Moller, Nature, 207,  
 5 1166(1965).

TABLE 4 : IgM ANTIBODY RESPONSE TO SRBC AND LPS AFTER SINGLE TREATMENT WITH COMPOUND (VI) COMPARED TO THAT OBTAINED AFTER MULTIPLE TREATMENT WITH THE REFERENCE  
 10 COMPOUND E (see Mistrello et al., 1985)

COMPOUND	ANTIGEN	DAY OF DOSING	DOSE (µmoles/Kg/day )	PCF/spleen .10 <sup>-3</sup> (mean ± S.D.)
15 (VI)	SRBC	0	vehicle	124 + 18
	SRBC	0	8.60	12 + 3*
	LPS	0	vehicle	10 + 2
	LPS	0	8.60	3 + 1*
	SRBC	0,1,2,3	vehicle	115 ± 20
	SRBC	0,1,2,3	17.92	7 ± 2*
20 E	LPS	0,1,2,3	vehicle	11 ± 2
25				

	LPS	0,1,2,3	17.92	4	±
				1*	

\* p&lt;0.01

5 TABLE 5 : IgG ANTIBODY RESPONSE TO SRBC AFTER SINGLE  
TREATMENT WITH COMPOUND OF (VI) COMPARED TO THAT OBTAINED  
AFTER MULTIPLE TREATMENT WITH THE REFERENCE COMPOUND E  
(see Mistrello et al., 1985)

10	COMPOUND	DAY OF DOSING	DOSE ( $\mu$ moles/Kg/day )	PFC/SPLEEN. $10^{-3}$ (mean + S.D.)
	(VI)	0	vehicle	24 + 3
		0	2.15	3 + 3*
15	E	0 - 3	vehicle	26 + 4
		0 - 3	3.58	4 + 3*

Delayed Type hypersensitivity (DTH), was carried out in  
C57B1/6 mice administered subcutaneously  $2 \times 10^8$  SRBC  
20 emulsified in complete Freund's adjuvant. Ten days later  
an eliciting dose of  $10^8$  SRBC was inoculated into a  
footpad. The DTH reaction was recorded 24 hours later by  
measuring the footpad swelling (Kerckhaert et al, Cell  
Immunology, 29, 232, (1977)).

**TABLE 6 : EFFECT ON DTH AFTER SINGLE TREATMENT WITH COMPOUND OF COMPOUND (VI) COMPARED TO THAT OBTAINED AFTER MULTIPLE TREATMENT WITH THE REFERENCE COMPOUND E (see 5 Mistrello et al., 1985)**

	COMPOUND	DAY OF DOSING	DOSE	FOOTPAD
			( $\mu$ moles/Kg/day )	SWELLING UNITS* (Mean + S.D.)
10	(VI)	0	vehicle	11.4 + 3.7
		0	8.60	5.2 + 1.2**
15	E	0,1,2,3,4,5,6, vehicle		10.1 +
		7,8		3.3
		0,1,2,3,4,5,6, 17.92		4.1 +
		7,8		1.4**

\*1 unit = 0.1 mm, \*\*p< 0.01

For the *Skin Grafting*, fitted pinch grafts of skin from  
 20 C3H (H-2<sup>k</sup>) donor mice were transplanted onto C57B1/6 (H-  
 2<sup>b</sup>) recipient mice (Mistrello et al., 1984). Bandages  
 were removed 7 days later and graft were scored daily by  
 microscopy. Rejection was recorded when no viable  
 epidermis remained. The median survival time (MST) of the  
 25

grafts, measured as days, was calculated according to Litchfield (1949).

5 TABLE 7 : EFFECT ON SKIN GRAFT SURVIVAL TIME (MST) AFTER  
1 WEEKLY TREATMENT WITH COMPOUND (VI) COMPARED TO THAT  
OBTAINED AFTER MULTIPLE TREATMENT WITH THE REFERENCE  
COMPOUND E (see Mistrello et al., 1985)

10	COMPOUND	DAYS OF DOSING DOSE ( $\mu$ moles/Kg/day (mean + S.D.) )	MST , days
	(VI)	-1, 7 vehicle	10.7 + 0.4
		-1, 7 17.20	15.1 + 0.6*
15	E	-1,1,3, 5, 7, vehicle 9,11	11.0 + 0.4
		-1,1,3, 5, 7, 89.61 9,11	14.7 + 0.7*

\*  $p < 0.01$

20

Finally, the compounds of the present invention are endowed with a high and specific anti-tumour activity as demonstrated on an  $\otimes$  in vivo  $\otimes$  test against human chorio-carcinoma.

25

In particular compound of example 5 was highly effective in inhibiting the growth of a human chorio-carcinoma transplanted into nude mice. The potency of the tested  
5 compound was even higher than that displayed by methotrexate, the choice drug in the therapy of chorio-carcinoma.

Noteworthy, choriocarcinoma is a gestational tumor derived from trophoblastic cells, which, together with  
10 decidual cells, was suggested as the target site of the anti-proliferative action of 3, 5 diaryl-s-1,2,4 triazoles (Galliani et al. 1986).

For their use in suppressing the immunological response,  
15 in terminating pregnancy, and in treating chorio-carcinoma, the compounds of the present invention are embodied into topical, transdermal and injectable dosage forms to be administered epicutaneously or parenterally, i.e. subcutaneously, intramuscularly or intravenously.  
20 Such composition are formulated using proper transdermal delivery systems (epicutaneous dosing), aqueous (intravenous dosing ) or non-aqueous vehicles (epicutaneous, subcutaneous and intramuscular dosing).

As examples of such systems/vehicles, the following can  
25 be considered for epicutaneous, subcutaneous and intramuscular dosing : oils of vegetable origin or fatty


esters such as sesame oil, corn oil, peanut oil, cotton seed oil, and ethyl oleate can suitably be employed.

Other oily vehicles may as well be used provided that  
5 they are safe in the volume administered and do not interfere with the therapeutic efficacy of the preparation. As known to the art skilled man, these preparations may also contain anti-microbial agents, to prevent growth of micro-organisms in the preparation, and  
10 antioxidants, essentially to prevent the development of rancidity of the oily vehicle.

These dosage forms in general contain from 1 to 10% (w/v) of at least one derivative of formula (I) object of the present invention, where the optimum dose/volume ratio  
15 depends on the selected dose and the species and size of the animal/subject to be administered.

As an example, the compounds of the present invention can be advantageously prepared starting from a derivative (IX) of the following chemical formula:

20




(IX)

25

More particularly, when substituents  $R_1$  and  $R_2$  are in position 3 and 5 respectively, the corresponding derivative (XI) has the following chemical formula:

5



10


(XI)

The above mentioned derivative of formula (XI), used as starting materials in the process of the present invention, is prepared according to different procedures already reported by the literature. In particular when  
15  $X=Y=N$ , the corresponding derivative (XI a) can be advantageously prepared as described in EP11129. In this case the method

This method consists in the rearrangement of hydrazones of substituted benzaldehydes with 4-hydrazino-1H-2,3-  
20 benzoxazines of formula (X)



5



(X)

wherein R<sub>1</sub>, R<sub>2</sub> and R<sub>3</sub> are as defined as for the derivatives of formula (I).

10 This rearrangement simply occurs by refluxing the hydrazone III in a high boiling inert organic solvent, such as for instance, xylene, N,N-dimethylformamide, and halogenated aromatic hydrocarbons, for about 30 minutes and then recovering the compound II by filtration.

15 Another suitable method for the preparation of the 2-hydroxymethyl-phenyl derivatives of formula (XI a), consists in the oxidation of the corresponding 2-methylphenyl triazoles, either directly to the alcohol (XI a) or to the corresponding carboxylic acid followed  
20 by a reduction of this latter to the alcohol (XI a).


In the former case, ceric ammonium nitrate or silver (II) oxide are the oxidising agents which may be suitably employed, while in the latter, the oxidative step is carried out with any of the several oxidisers known in  
25 the art to transform a methyl group on an aromatic ring to a carboxylic group, such as permanganate, nitric acid,

and dichromate, and the reductive step is easily performed with a metal hydride.

Alternatively, the starting compounds of formula II can  
5 be prepared by following the process described in EP80053.

Referring to compounds of formula (I), object of the present invention, the procedure for their preparation  
10 starting from the corresponding derivative of formula (IX) varies depending whether the substituent R is hydrogen or a group  $R_8$ -CO wherein  $R_8$  has the same meaning as above in relation to derivatives of formula (I).

When R is hydrogen, the derivative of formula (IX) is  
15 prepared according to different procedures already reported by the literature, in equimolar ratio with phosgene ( $\text{COCl}_2$ ) and the resulting chloro-carbonate is left to react with a derivative Z where  $Z=\text{OR}_7$  and  $R_7$  is chosen among a saturated or non-saturated, linear or  
20 branched aliphatic hydrocarbon  $\text{C}_1\text{-C}_{20}$ , or is chosen according to the following formula:



(XII)

where R, R<sub>1</sub>, X and Y are defined as above and R<sub>6</sub> is chosen among hydrogen, halogen, alkyl or alkoxy C<sub>1</sub>-C<sub>10</sub>, or Z is chosen equal to NH-R<sub>8</sub> where R<sub>8</sub> is a linear or branched C<sub>1</sub>-C<sub>20</sub> alkyl chain.

10

The derivative of formula (I) where R is chosen as hydrogen, can be successively separated from the possible by-products formed during the reaction with phosgene.

15

Phosgene to use is commercially available already dissolved in appropriate solvents.

Following this procedure can be then prepared for example, derivatives (V), (VI) and (VII) of the present invention.

20

Alternatively, when have to be synthesised derivatives of formula (I) where R<sub>7</sub> is chosen as (XII), asymmetric carbonates, or when R<sub>7</sub> is chosen as saturated or unsaturated, linear or branched C<sub>1</sub>-C<sub>20</sub> aliphatic hydrocarbon, derivative of formula (IX) can undergo

25

reaction according to the following general scheme, in detail:

⇒ both for the intermediates preparation (alcoholate and  
5 imidazolide) and for the end carbonate product, an inert solvent is chosen, i.e. chloroform, dichloromethane, tetrahydrofuran:

⇒ alcoholate preparation is carried out on the selected alcohol using as base NaH or metallic Na either in  
10 catalytic or stoichiometric amounts, temperature can be between 0°C and 60°C (optimal room temperature), while reaction time ranges between 30 min to 12 hours (optimal 1 hour);

⇒ the synthesis of the imidazolide of the second alcohol  
15 is carried out using as reagent carbonyl-diimidazole with temperature between 0°C and 60°C (optimal, room temperature), while reaction time ranges between 30 min to 12 hours (optimal 1 hour);

⇒ the synthesis of the end carbonates products is carried  
20 out by mixing properly the solutions of the alcoholate and of the imidazolide for a time of 6 to 24 hours (optimal 12 hours) at a temperature between 0°C and 60°C (optimal, room temperature).

Merely as an example, not limiting the present invention, a general method for the synthesis of derivatives of formula (I), where R and R<sub>3</sub> are chosen as hydrogens, R<sub>4</sub> is chosen as ethoxyl, R<sub>5</sub> is chosen as COOR<sub>7</sub> where R<sub>7</sub> is a linear or branched C1-C20 alkylic chain, is hereafter described:

#### Example 1

10 A 50 mL solution of 3-(2-(hydroxymethyl)phenyl)-5-(3-ethoxyphenyl)-1H-1, 2, 4 triazole (3g, 10 mmoles) in tetrahydrofuran, at room temperature, is added an 80% NaH suspension (310 mg, 10 mmoles) in tetrahydrofuran (50 mL). The reaction mixture is shaken at room temperature  
15 for 1 hour. The resulting solution is then added to a tetrahydrofuran solution containing the imidazolidine of the selected alcohol obtained by reacting the alcoholic derivative (10 mmoles) with 1,1'-carbonyl-diimidazole (1.65 g, 10 mmoles) in tetrahydrofuran (20 mL) for 1 hour  
20 at room temperature. The mixture is stirred at room temperature for 12 hours, then solvent is taken to dryness under vacuum and the residue re-dissolved in methylene chloride.

The organic phase is washed with water, dried by  
25 anhydrous Na<sub>2</sub> SO<sub>4</sub> and evaporated under vacuum. The obtained crude material is purified by column

chromatography on silica gel (eluent hexane-ethylacetate, 8:2, v/v). After evaporation of the solvents, the solid pure product obtained is re-dissolved in hexane, filtered  
5 and dried under vacuum.

The compounds described below were prepared according to the procedure reported in Example 1.

#### 10 Example 2

Preparation of 3-(2-(ethoxy-carbonyloxymethyl)phenyl)-5-(3-ethoxyphenyl)-1H-1, 2, 4-triazole (XV).

Yield 52%; melting point = 124-126°C

<sup>1</sup>H-NMR: 7.98 (1H, t, J=4.1 Hz); 7.72-7.74 (6H, m); 7.06  
15 (1H, d, J=6.9 Hz); 5.68 (2H, s); 4.16 (2H, q, J=7.0 Hz),  
4.14 (2H, q, J=7.1 Hz); 1.40 (3H, t, J=7.0 Hz); 1.21  
(3H, t, J=7.1 Hz).

<sup>13</sup>C-NMR: 158.76, 154.21, 133.65, 129.83, 129.04, 128.77,  
128.60 (2C), 118.16 (2C), 115.86, 112.04 (2C), 67.20,  
20 63.33, 63.15, 14.36, 13.82.

#### Example 3

Preparation of 3-(2-(butoxy-carbonyloxymethyl)phenyl)-5-(3-ethoxyphenyl)-1H-1, 2, 4-triazole (XIV).

25 Yield 58%; melting point= 119-121°C

<sup>1</sup>H-NMR: 8.00 (1H, t, J=4.8 Hz); 7.70-7.40 (6H, m); 7.03 (1H, d, J=7.2 Hz); 5.62 (2H, s); 4.12 (2H, q, J=7.0 Hz), 4.03 (2H, t, J=6.4 Hz); 1.49 (2H, m); 1.36 (3H, t, J=7.0 Hz); 1.23 (2H, m); 0.80 (3H, t, J=7.3 Hz).

<sup>13</sup>C-NMR: 158.70, 154.29, 133.51, 129.89, 129.20 (2C), 128.63 (2C), 128.35 (2C), 118.15 (2C), 115.96, 111.98 (2C), 67.27, 67.17, 63.20, 18.03, 14.26, 12.98.

#### 10 Example 4

Preparation of 3-(2-(hexyloxy-carbonyloxymethyl)phenyl)-5-(3-ethoxyphenyl)-1H-1, 2, 4-triazole (XVI).

Yield 42%; melting point = 90-92°C

<sup>1</sup>H-NMR: 8.07 (1H, m); 7.69-7.40 (6H, m); 7.06 (1H, d, J=7.3 Hz); 5.68 (2H, s); 4.15 (2H, q, J=7.0 Hz), 4.07 (2H, t, J=6.6 Hz); 1.56 (2H, m); 1.40 (3H, t, J=7.0 Hz); 1.23 (6H, m); 0.85 (3H, t, J=6.5 Hz).

<sup>13</sup>C-NMR: 158.76, 154.29, 133.65, 129.79, 128.87 (2C), 128.59 (2C), 128.15 (2C), 118.15 (2C), 115.87, 112.03 (2C), 67.37, 67.29, 63.13, 30.49, 27.87, 24.52, 21.61, 14.36, 13.43.

#### Example 5

Preparation of 3-(2-(octyloxy-carbonyloxymethyl)phenyl)-5-(3-ethoxyphenyl)-1H-1, 2, 4-triazole (XVI).

Yield 49%; melting point= 86-89°C

<sup>1</sup>H-NMR: 8.06 (1H, m); 7.72-7.40 (6H, m7); 7.05 (1H, d, J=7.1 Hz); 5.69 (2H, s); 4.15 (2H, q, J=7.0 Hz), 4.07 (2H, t, J=6.4 Hz); 1.56 (2H, m); 1.40 (3H, t, J=7.0 Hz);  
5 1.23 (10H, m); 0.86 (3H, t, J=6.5 Hz).

<sup>13</sup>C-NMR: 158.76, 154.28, 133.65, 129.77, 129.01, 128.84, 128.59 (2C), 128.59 (2C), 128.13 (2C), 118.16 (2C), 115.83, 112.03 (2C), 67.37, 67.30, 63.13, 30.88, 27.91, 24.89, 21.72, 14.35, 13.53.

10 In the following example 6, the synthesis of one derivative of formula (I), where the group R<sub>7</sub> is chosen of formula (XII), symmetric carbonates, is described:

#### Example 6

15 Preparation of Di-(2-(5-(3-ethoxyphenyl)-1H-1, 2, 4-triazol-3-yl) phenylmethyl) carbonate (XVII).

A 15 mL solution of 3-(2-(hydroxymethyl)phenyl)-5-(3-ethoxyphenyl)-1H-1, 2, 4 triazole (0.7g, 2.4 mmoles) in tetrahydrofuran, at room temperature, is added a 80% NaH  
20 suspension (35 mg, 1.2 mmoles) in tetrahydrofuran (15 mL). The reaction mixture is shaken at room temperature for 1 hour. The resulting solution is then added 1,1'-carbonyl-diimidazole (192 mg, 1.2 mmoles) in tetrahydrofuran (20 mL) for 1 hour at room temperature.  
25 The mixture is stirred at room temperature for 12 hours. Solvent is taken to dryness under vacuum and the residue



re-dissolved in methylene chloride. The organic phase is washed with water, dried by anhydrous  $\text{Na}_2\text{SO}_4$  and evaporated under vacuum. The obtained crude material is  
5 purified by column chromatography on silica gel (eluent hexane-ethylacetate, 7:3, v/v). After evaporation of the solvents, the solid pure product obtained is re-dissolved in hexane, filtered and dried under vacuum. 212 mg of the compound (XVII) are obtained.

10 Yield 36%; melting point = 143-145°C

$^1\text{H}$ -NMR: 8.07 (2H, m), 7.69-7.38 (12H, m); 7.03 (2H, d,  $J=8.4$  Hz); 5.72 (4H, s); 4.12 (4H, q,  $J=7.0$  Hz), 1.37 (6H, t,  $J=7.0$  Hz);.


$^{13}\text{C}$ -NMR: 158.74, 154.21, 133.59, 129.81 (2C), 128.97  
15 (2C), 128.02 (2C), 118.18 (2C), 115.88, 112.00 (2C), 67.41, 63.13, 14.33.

When R is chosen equal to  $-\text{CO R}_8$ , where  $\text{R}_8$  is a saturated or a non saturated  $\text{C}_1$ -  $\text{C}_{10}$  aliphatic hydrocarbon, the  
20 hydroxy group of derivative (IX), will be protected according to known methods. Protected derivative (IXb) will be also obtained and acylated according to known methods in order to introduce the  $-\text{COR}_8$  group. Subsequently these acylated derivatives will be de-  
25 protected and allowed to react with phosgene as

reported above. In the case of  $X=Y=N$ , the acylation reaction could be carried out as described by EP80053.

When  $R_5$  is chosen:

5



10

Derivatives of formula (I) are advantageously prepared starting from derivatives of formula (IX) (eventually submitted to a previous acylation reaction as already described) by reaction with phosphoric acid or equivalents according to known methods. For example, following this procedure derivative (VIII), object of the present invention, is prepared..

15

For derivatives of formula (I), when  $X=Y=N$  and  $R=H$ , following the acylation procedure described above, both single compounds, where the substituent  $R$  is located on one of the two adjacent nitrogen atoms and mixtures of the two possible isomers can be obtained.

20

In this latter case, being established that each isomer retains the same anti-gestative immuno-suppressant and anti tumour activity, the mixture can be separated into the single components by chemico-physical known methods. For example, the way a mixture can be resolved into the

25

single components is a fractionated crystallisation,

41


which take advantage of the different solubility of each compound in various solvents at different temperatures. Suitable solvents that can be used for this method are chosen as an example, among hexane, ethyl-acetate, C<sub>1</sub>-C<sub>4</sub> alkyl ethers, methylen chloride, light petroleum ether and mixtures thereof. A further illustrative example of a method useful for the separation of the isomers' mixture is based on column chromatography, performed on non-acid, buffered adsorbents, as silica-gel buffered to ph=7. Another example of a method useful for the separation of the isomer mixture is based on the use of preparative high pressure liquid chromatography (PHPLC), carried out on proper columns, for example filled with silica-gel esterified with octyl-silane or octyl-decylsilane. Other obvious procedures useful for resolving a mixture of isomers into the single components are intended to fall within the scopes of the invention.

20

25

## CLAIMS

1. Nitrogen heterocyclic aromatic derivatives having the following general formula:



where:


10 -when  $X=Y$ ,  $X, Y=N$ ;

-when  $X=Y$ ,  $X, Y=N, C, CH$ ;

-R is chosen between hydrogen,  $-COR_8$  where  $R_8$  is a saturated or non-saturated aliphatic hydrocarbon  $C_1-C_{10}$ , or R represents any other group able to form a bond with a nitrogen atom;

15

-  $R_1$  has the following general formula:




where  $R_3$  is chosen among hydrogen, halogen, alkyl or alkoxy  $C_1-C_{10}$ ,  $R_4$  is chosen among hydrogen, alkyl or alkoxy  $C_1-C_{10}$ , or  $R_3$  and  $R_4$  together form a methylenedioxy group;

25

- R<sub>2</sub> has the following general structure:


5



(III)


where R<sub>5</sub> is chosen among:

10



where Z=OR<sub>7</sub> with R<sub>7</sub> is chosen among a saturated or non-saturated, linear or branched C<sub>1</sub>-C<sub>20</sub> aliphatic hydrocarbon, or is chosen according to the following formula:

15



20

(XII)




where R, R<sub>1</sub>, X and Y are defined as above and R<sub>6</sub> is chosen among hydrogen, halogen, alkyl or alkoxy C<sub>1</sub>-C<sub>10</sub>, or Z is chosen equal to NHR<sub>8</sub> where R<sub>8</sub> is a linear or branched C<sub>1</sub>-C<sub>20</sub> alkyl chain. Mentioned R<sub>1</sub> and R<sub>2</sub> are never

25


located on two adjacent atoms of the heterocyclic aromatic ring.

2.Nitrogen heterocyclic aromatic derivatives according to  
5 the claim 1. characterised by a saturated or non-saturated C<sub>1</sub>- C<sub>20</sub> aliphatic hydrocarbon represented by a linear or branched alkyl, alkenyl or alkynyl which can contain one or more double or triple bonds. Always according to the present invention, the term alkyl or  
10 alkoxy means a linear or branched C<sub>1</sub>-C<sub>10</sub> alkyl or alkoxy group.

3.Nitrogen heterocyclic aromatic derivatives according to the claim 1. characterised by the fact that are derivatives of pyrazole, imidazole and 1H-1, 2, 4-  
15 triazole respectively:




4.Nitrogen heterocyclic aromatic derivatives according to  
20 the claim 1, characterised by having X=Y=N, R=H and showing the following general formula:




(VI)

where R<sub>3</sub> is chosen among hydrogen, halogen, alkyl or alkoxy C<sub>1</sub>-C<sub>10</sub>, R<sub>4</sub> is chosen among hydrogen, alkyl or alkoxy C<sub>1</sub>-C<sub>10</sub>, or R<sub>3</sub> and R<sub>4</sub> together form a methylenedioxy group, where R<sub>5</sub> is chosen among:



where Z=OR<sub>7</sub> with R<sub>7</sub> is chosen among a saturated or non-  
15 saturated, linear or branched C<sub>1</sub>-C<sub>20</sub> aliphatic  
hydrocarbon, or is chosen according to the following  
formula:



(XII)


where R, R<sub>1</sub>, X and Y are defined as above and R<sub>6</sub> is  
25 chosen among hydrogen, halogen, alkyl or alkoxy C<sub>1</sub>-C<sub>10</sub>.

or Z is chosen equal to  $\text{NHR}_8$  where  $\text{R}_8$  is a linear or branched  $\text{C}_1\text{-C}_{20}$  alkyl chain.

- 5 5. Nitrogen heterocyclic aromatic derivatives according to claim 4. characterised by having  $\text{R}_6 = \text{hydrogen}$ ,  $\text{R}_4 = \text{OCH}_3$  or  $\text{OCH}_2\text{CH}_3$ . Mentioned  $\text{R}_3$  is hydrogen, mentioned  $\text{R}_5$  is chosen equal to  $\text{COZ}$  where  $\text{Z}=\text{OR}_7$  with  $\text{R}_7$  as a saturated linear aliphatic  $\text{C}_1\text{-C}_{12}$  hydrocarbon.


10

6. Nitrogen heterocyclic aromatic derivative according to claim 1. having the following chemical structure:




7. Nitrogen heterocyclic aromatic derivative according to claim 1. having the following chemical structure:

20






8. Nitrogen heterocyclic aromatic derivative according to claim 1. having the following chemical structure:



(XVI)

10


9. Nitrogen heterocyclic aromatic derivative according to claim 1. having the following chemical structure:



(XIII)


20 10. Nitrogen heterocyclic aromatic derivative according to claim 1. having the following chemical structure:

25



(XIV)

11. Nitrogen heterocyclic aromatic derivative according to  
claim 1. having the following chemical structure:  
10




15

(XV)

12. Nitrogen heterocyclic aromatic derivative according to  
claim 1. having the following chemical structure:

20

25



13. Use of the nitrogen heterocyclic aromatic derivatives,  
according to claim 1., as anti-gestative agents.

15 14. Use of the nitrogen heterocyclic aromatic derivatives,  
according to claim 1, as immuno-suppressant agents.

15. Use of the nitrogen heterocyclic aromatic  
derivatives, according to claim 1., for the preparation  
20 of a drug with anti-gestative activity.

16. Use of the nitrogen heterocyclic aromatic derivatives,  
according to claim 1., for the preparation of a drug  
with immuno-suppressant activity.

17. Pharmaceutical composition with anti-gestative action which contains at least one nitrogen heterocyclic aromatic derivative, according to claim 1., as active principle.

18. Pharmaceutical composition with immuno-suppressant action which contains at least one nitrogen heterocyclic aromatic derivative, according to claim 1., as active principle.

19. Pharmaceutical composition according to claims 17 and 18., formulated utilising systems suitable for a transdermic release.

15

20. Pharmaceutical composition according to claims 17 and 18., formulated utilising proper aqueous systems suitable for an intravenous administration.

20 21. Pharmaceutical composition according to claim 17 and 18., formulated utilising vegetable oils or esters of fatty acids, i.e, sesame oil, suitable for an epicutaneous, subcutaneous and intramuscular administration.

25

22. Pharmaceutical composition according to claim 21.,  
formulated utilising oils of vegetable origin or fatty  
esters such as sesame oil, corn oil, peanut oil, cotton  
5 seed oil, and ethyl oleate.

23. Pharmaceutical composition according to claim 17 and  
22., formulated utilising previously disclosed anti-  
microbic agents


10

24. Pharmaceutical composition according to claim 17 and  
22., formulated utilising previously disclosed anti-  
oxidative agents.

15 25. Pharmaceutical composition according to claim 17 and  
24., containing from 1 to 10 % (w/v) of at least one  
nitrogen heterocyclic aromatic derivative according to  
claim 1.

20 26. Method of preparation of nitrogen heterocyclic  
aromatic derivative according to claim 1, which  
involves the following synthesis phases:

a) preparation of one nitrogen heterocyclic aromatic  
25 derivative of general formula




(IX)

b) possible protection of the OH group, possible acylation reaction with introduction of a -COR<sub>8</sub> group leading to the formation of an acylated derivative, subsequent de-protection of the OH group, and alternatively:

c) reaction of derivative (IX) with a carbonatante agent, to give rise to a corresponding carbonate product.

d) reaction of the above mentioned carbonate with Z to obtain the mentioned derivative (I). Where Z=OR<sub>7</sub> with R<sub>7</sub> is chosen among a saturated or non-saturated, linear or branched C<sub>1</sub>-C<sub>20</sub> aliphatic hydrocarbon, or is chosen according to the following formula:



(XII)

where  $R$ ,  $R_1$ ,  $X$  and  $Y$  are defined as above and  $R_6$  is chosen among hydrogen, halogen, alkyl or alkoxy  $C_1-C_{10}$ , or  $Z$  is chosen equal to  $NHR_8$  where  $R_8$  is a linear or branched  $C_1-C_{20}$  alkyl chain;

10

or: reaction of the above mentioned derivative (IX) with phosphoric acid or equivalent products, with formation of the derivative of formula (I).

15

27. Procedure according to claim 26, characterised by selecting as carbonatante agent phosgene ( $COCl_2$ ).

20

25

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 98/03496

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C07D249/08 C07D233/64 C07D231/12 C07F9/6518 C07F9/6503  
A61K31/41 A61K31/675

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07D C07F A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FR 2 440 364 A (GRUPPO LEPETIT S.P.A.) 30 May 1980 cited in the application see the whole document, particularly page 31, lines 19, 20 and 28, and page 32, lines 14, 15 and 19 ---	1-27
X	EP 0 080 053 A (GRUPPO LEPETIT S.P.A.) 1 June 1983 cited in the application see the whole document ---	1-27
A	US 4 119 635 A (OMODEI-SALÈ A ET AL) 10 October 1978 see the whole document, particularly examples 19-24 --- -/--	1-27

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

22 September 1998

Date of mailing of the international search report

14/10/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Allard, M



## INTERNATIONAL SEARCH REPORT

International Application No  
PCT/EP 98/03496

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>TOJA E ET AL: "Synthesis and pregnancy terminating activity of 2-aryl pyrazolo[5,1-a]isoindoles and isoquinolines"</p> <p>EUROPEAN JOURNAL OF MEDICINAL CHEMISTRY - CHIMICA THERAPEUTICA, vol. 17, no. 3, 1982, pages 223-7, XP002078326</p> <p>Paris, FR</p> <p>see the whole document, particularly compound 26</p> <p>-----</p>	1-27

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/EP 98/03496

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 13 and 14  
because they relate to subject matter not required to be searched by this Authority, namely:  
Remark: Although claims 13 and 14  
are directed to a method of treatment of the human/animal  
body, the search has been carried out and based on the alleged  
effects of the compound/composition.
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such  
an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all  
searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment  
of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report  
covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is  
restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/03496

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR 2440364 A	30-05-1980	AT 368754 B	10-11-1982
		AT 697279 A	15-03-1982
		AU 533727 B	08-12-1983
		AU 5205379 A	08-05-1980
		BE 879732 A	30-04-1980
		CA 1116610 A	19-01-1982
		CH 642953 A	15-05-1984
		DE 2943326 A	14-05-1980
		DK 456779 A,B,	01-05-1980
		FI 793216 A,B,	01-05-1980
		GB 2039887 A,B	20-08-1980
		HK 37183 A	30-09-1983
		JP 1047469 B	13-10-1989
		JP 1560238 C	31-05-1990
		JP 55062075 A	10-05-1980
		LU 81832 A	07-05-1980
		NL 7907913 A	02-05-1980
		SE 445453 B	23-06-1986
		SE 7908940 A	01-05-1980
		US 4459302 A	10-07-1984
		US 4888350 A	19-12-1989
		ZA 7905798 A	26-11-1980
EP 80053 A	01-06-1983	AU 557034 B	04-12-1986
		AU 8886382 A	28-04-1983
		CA 1181406 A	22-01-1985
		JP 1634484 C	20-01-1992
		JP 2061949 B	21-12-1990
		JP 58079984 A	13-05-1983
		US 4535090 A	13-08-1985
		ZA 8207172 A	31-08-1983
US 4119635 A	10-10-1978	AR 195492 A	15-10-1973
		AR 194297 A	29-06-1973
		AR 194298 A	29-06-1973
		AR 200485 A	15-11-1974
		AT 317210 B	26-08-1974
		AT 319236 B	10-12-1974
		AU 461487 B	29-05-1975
		AU 4324672 A	13-12-1973

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/03496

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4119635 A		BE 786562 A	16-11-1972
		CA 1015361 A	09-08-1977
		CH 558372 A	31-01-1975
		CH 559195 A	28-02-1975
		CH 560707 A	15-04-1975
		DD 101574 A	12-11-1973
		DE 2235544 A	15-03-1973
		DE 2265212 A	04-11-1976
		DK 426576 A, B,	22-09-1976
		FR 2146482 A	02-03-1973
		GB 1351430 A	01-05-1974
		IE 37665 B	14-09-1977
		LU 65753 A	28-11-1972
		NL 7210145 A, B	24-01-1973
		NL 7513437 A, B,	27-02-1976
		SE 392901 B	25-04-1977
		SE 422325 B	01-03-1982
		SE 7506819 A	13-06-1975
		ZA 7203888 A	27-06-1973

*FOR THE PURPOSES OF INFORMATION ONLY*

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 98/03496

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C07D249/08 C07D233/64 C07D231/12 C07F9/6518 C07F9/6503  
A61K31/41 A61K31/675

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07D C07F A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FR 2 440 364 A (GRUPPO LEPETIT S.P.A.) 30 May 1980 cited in the application see the whole document, particularly page 31, lines 19, 20 and 28, and page 32, lines 14, 15 and 19 ---	1-27
X	EP 0 080 053 A (GRUPPO LEPETIT S.P.A.) 1 June 1983 cited in the application see the whole document ---	1-27
A	US 4 119 635 A (OMODEI-SALÈ A ET AL) 10 October 1978 see the whole document, particularly examples 19-24 --- -/--	1-27

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&amp;" document member of the same patent family

Date of the actual completion of the international search

22 September 1998

Date of mailing of the international search report

14/10/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Allard, M

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 98/03496

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>- TOJA E ET AL: "Synthesis and pregnancy terminating activity of 2-aryl pyrazolo[5,1-a]isoindoles and isoquinolines"</p> <p>EUROPEAN JOURNAL OF MEDICINAL CHEMISTRY - CHIMICA THERAPEUTICA, vol. 17, no. 3, 1982, pages 223-7, XP002078326</p> <p>Paris, FR</p> <p>see the whole document, particularly compound 26</p> <p>-----</p>	1-27

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/EP 98/03496

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 13 and 14  
because they relate to subject matter not required to be searched by this Authority, namely:  
Remark: Although claims 13 and 14  
are directed to a method of treatment of the human/animal  
body, the search has been carried out and based on the alleged  
effects of the compound/composition.
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such  
an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all  
searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment  
of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report  
covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is  
restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.



# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/03496

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
FR 2440364	A	30-05-1980	AT 368754 B	10-11-1982
			AT 697279 A	15-03-1982
			AU 533727 B	08-12-1983
			AU 5205379 A	08-05-1980
			BE 879732 A	30-04-1980
			CA 1116610 A	19-01-1982
			CH 642953 A	15-05-1984
			DE 2943326 A	14-05-1980
			DK 456779 A, B,	01-05-1980
			FI 793216 A, B,	01-05-1980
			GB 2039887 A, B	20-08-1980
			HK 37183 A	30-09-1983
			JP 1047469 B	13-10-1989
			JP 1560238 C	31-05-1990
			JP 55062075 A	10-05-1980
			LU 81832 A	07-05-1980
			NL 7907913 A	02-05-1980
			SE 445453 B	23-06-1986
			SE 7908940 A	01-05-1980
			US 4459302 A	10-07-1984
			US 4888350 A	19-12-1989
			ZA 7905798 A	26-11-1980
EP 80053	A	01-06-1983	AU 557034 B	04-12-1986
			AU 8886382 A	28-04-1983
			CA 1181406 A	22-01-1985
			JP 1634484 C	20-01-1992
			JP 2061949 B	21-12-1990
			JP 58079984 A	13-05-1983
			US 4535090 A	13-08-1985
			ZA 8207172 A	31-08-1983
US 4119635	A	10-10-1978	AR 195492 A	15-10-1973
			AR 194297 A	29-06-1973
			AR 194298 A	29-06-1973
			AR 200485 A	15-11-1974
			AT 317210 B	26-08-1974
			AT 319236 B	10-12-1974
			AU 461487 B	29-05-1975
			AU 4324672 A	13-12-1973

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/03496

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4119635 A		BE 786562 A	16-11-1972
		CA 1015361 A	09-08-1977
		CH 558372 A	31-01-1975
		CH 559195 A	28-02-1975
		CH 560707 A	15-04-1975
		DD 101574 A	12-11-1973
		DE 2235544 A	15-03-1973
		DE 2265212 A	04-11-1976
		DK 426576 A,B,	22-09-1976
		FR 2146482 A	02-03-1973
		GB 1351430 A	01-05-1974
		IE 37665 B	14-09-1977
		LU 65753 A	28-11-1972
		NL 7210145 A,B	24-01-1973
		NL 7513437 A,B,	27-02-1976
		SE 392901 B	25-04-1977
		SE 422325 B	01-03-1982
		SE 7506819 A	13-06-1975
		ZA 7203888 A	27-06-1973

## PATENT COOPERATION TREATY

PCT

From the INTERNATIONAL BUREAU

NOTIFICATION OF THE RECORDING  
OF A CHANGE(PCT Rule 92bis.1 and  
Administrative Instructions, Section 422)

To:

TRUPIANO, Roberto  
Brevetti Europa S.r.l.  
Corso Di Porta Ticinese 3  
I-20123 Milano  
ITALIE

Date of mailing (day/month/year)

22 November 1999 (22.11.99)

Applicant's or agent's file reference

98095C77

International application No.

PCT/EP98/03496

## IMPORTANT NOTIFICATION

International filing date (day/month/year)

04 June 1998 (04.06.98)

1. The following indications appeared on record concerning:



the applicant



the inventor



the agent



the common representative

Name and Address

IRILAB LTD.  
Merchant's House  
27/30 Merchant's Quay  
Dublin 8  
Ireland

State of Nationality

IE

State of Residence

IE

Telephone No.

Facsimile No.

Teleprinter No.

2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:



the person



the name



the address



the nationality



the residence

Name and Address

GEANGE LTD.  
20 Clanwilliam Terrace  
Dublin 2  
Ireland

State of Nationality

IE

State of Residence

IE

Telephone No.

Facsimile No.

Teleprinter No.

3. Further observations, if necessary:

4. A copy of this notification has been sent to:



the receiving Office



the designated Offices concerned



the International Searching Authority



the elected Offices concerned



the International Preliminary Examining Authority



other:

The International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

R. Chrem

Telephone No.: (41-22) 338.83.38

## PATENT COOPERATION TREATY

PCT

NOTIFICATION OF THE RECORDING  
OF A CHANGE(PCT Rule 92bis.1 and  
Administrative Instructions, Section 422)

From the INTERNATIONAL BUREAU

To:

TRUPIANO, Roberto  
Brevetti Europa S.r.l.  
Corso Di Porta Ticinese 3  
I-20123 Milano  
ITALIE

Date of mailing (day/month/year)

26 February 1999 (26.02.99)

Applicant's or agent's file reference

98095C77

## IMPORTANT NOTIFICATION

International application No.

PCT/EP98/03496

International filing date (day/month/year)

04 June 1998 (04.06.98)

1. The following indications appeared on record concerning:

☐

the applicant

☐

the inventor

☒

the agent

☐

the common representative

Name and Address

TRUPIANO, Roberto  
Brevetti Europa S.r.l.  
Piazza Bernini, 6  
I-20133 Milano  
Italy

State of Nationality

State of Residence

Telephone No.

IT 2 2665892

Facsimile No.

IT 2 70631699

Teleprinter No.

2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:

☐

the person

☐

the name

☒

the address

☐

the nationality

☐

the residence

Name and Address

TRUPIANO, Roberto  
Brevetti Europa S.r.l.  
Corso Di Porta Ticinese 3  
I-20123 Milano  
Italy

State of Nationality

State of Residence

Telephone No.

IT 0289409392

Facsimile No.

IT 89421104

Teleprinter No.

3. Further observations, if necessary:

4. A copy of this notification has been sent to:

☒

the receiving Office

☐

the International Searching Authority

☒

the International Preliminary Examining Authority

☐

the designated Offices concerned

☒

the elected Offices concerned

☐

other:

The International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

B. Fitzgerald

Telephone No.: (41-22) 338.83.38

## PATENT COOPERATION TREATY

PCT

## NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

United States Patent and Trademark  
Office  
(Box PCT)  
Crystal Plaza 2  
Washington, DC 20231  
ÉTATS-UNIS D'AMÉRIQUE

in its capacity as elected Office

Date of mailing (day/month/year) 29 January 1999 (29.01.99)	
International application No. PCT/EP98/03496	Applicant's or agent's file reference 98095C77
International filing date (day/month/year) 04 June 1998 (04.06.98)	Priority date (day/month/year) 05 June 1997 (05.06.97)
Applicant ROSSI, Carla	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:  
22 December 1998 (22.12.98)

☐ in a notice effecting later election filed with the International Bureau on:  
\_\_\_\_\_

2. The election ☒ was

☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer Céline Faust Telephone No.: (41-22) 338.83.38
---	--

## PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>98095C77</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/EP 98/ 03496</b>	International filing date (day/month/year) <b>04/06/1998</b>	(Earliest) Priority Date (day/month/year) <b>05/06/1997</b>
Applicant  <b>IRILAB LTD et al.</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 5 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

1. ☒ **Certain claims were found unsearchable** (see Box I).

2. ☐ **Unity of invention is lacking** (see Box II).

3. ☐ The international application contains disclosure of a **nucleotide and/or amino acid sequence listing** and the international search was carried out on the basis of the sequence listing

☐ filed with the international application.

☐ furnished by the applicant separately from the international application.

☐ but not accompanied by a statement to the effect that it did not include matter going beyond the disclosure in the international application as filed.

☐ Transcribed by this Authority

4. With regard to the **title**, ☐ the text is approved as submitted by the applicant

☒ the text has been established by this Authority to read as follows:

**DIPHENYL-TRIAZOLE DERIVATIVES AND THEIR USE AS ANTI-GESTATIVE,  
IMMUNO-SUPPRESSANT AND ANTI-TUMORAL AGENTS**

5. With regard to the **abstract**,

☐ the text is approved as submitted by the applicant

☒ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this International Search Report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is:

Figure No.      ☐ as suggested by the applicant.

☐ None of the figures.

☐ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/EP 98/03496

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 13 and 14  
because they relate to subject matter not required to be searched by this Authority, namely:  
Remark: Although claims 13 and 14  
are directed to a method of treatment of the human/animal  
body, the search has been carried out and based on the alleged  
effects of the compound/composition.
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such  
an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:


1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all  
searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment  
of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report  
covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is  
restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

### Remark on Protest


- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

## Box III TEXT OF THE ABSTRACT (Continuation of Item 5 of the first sheet)


Compounds of the formula



wherein X and Y are independently carbon or nitrogen (but not both simultaneously carbon),  
R<sub>1</sub> is a group



and R<sub>2</sub> is a group



R<sub>5</sub> being a carbonate, carbamate or phosphate residue,  
are useful as anti-gestative, immuno-suppressant and anti-tumour agents.



# INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 98/03496

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C07D249/08 C07D233/64 C07D231/12 C07F9/6518 C07F9/6503  
A61K31/41 A61K31/675

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07D C07F A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FR 2 440 364 A (GRUPPO LEPETIT S.P.A.) 30 May 1980 cited in the application see the whole document, particularly page 31, lines 19, 20 and 28, and page 32, lines 14, 15 and 19 ---	1-27
X	EP 0 080 053 A (GRUPPO LEPETIT S.P.A.) 1 June 1983 cited in the application see the whole document ---	1-27
A	US 4 119 635 A (OMODEI-SALÈ A ET AL) 10 October 1978 see the whole document, particularly examples 19-24 --- -/--	1-27



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

\* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

22 September 1998

Date of mailing of the international search report

14/10/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Allard, M

## INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 98/03496

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>TOJA E ET AL: "Synthesis and pregnancy terminating activity of 2-aryl pyrazolo[5,1-a]isoindoles and isoquinolines"</p> <p>EUROPEAN JOURNAL OF MEDICINAL CHEMISTRY - CHIMICA THERAPEUTICA, vol. 17, no. 3, 1982, pages 223-7, XP002078326</p> <p>Paris, FR</p> <p>see the whole document, particularly compound 26</p> <p>-----</p>	1-27

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/03496

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
FR 2440364	A	30-05-1980	AT 368754 B	10-11-1982
			AT 697279 A	15-03-1982
			AU 533727 B	08-12-1983
			AU 5205379 A	08-05-1980
			BE 879732 A	30-04-1980
			CA 1116610 A	19-01-1982
			CH 642953 A	15-05-1984
			DE 2943326 A	14-05-1980
			DK 456779 A,B,	01-05-1980
			FI 793216 A,B,	01-05-1980
			GB 2039887 A,B	20-08-1980
			HK 37183 A	30-09-1983
			JP 1047469 B	13-10-1989
			JP 1560238 C	31-05-1990
			JP 55062075 A	10-05-1980
			LU 81832 A	07-05-1980
			NL 7907913 A	02-05-1980
			SE 445453 B	23-06-1986
			SE 7908940 A	01-05-1980
			US 4459302 A	10-07-1984
			US 4888350 A	19-12-1989
			ZA 7905798 A	26-11-1980
EP 80053	A	01-06-1983	AU 557034 B	04-12-1986
			AU 8886382 A	28-04-1983
			CA 1181406 A	22-01-1985
			JP 1634484 C	20-01-1992
			JP 2061949 B	21-12-1990
			JP 58079984 A	13-05-1983
			US 4535090 A	13-08-1985
			ZA 8207172 A	31-08-1983
US 4119635	A	10-10-1978	AR 195492 A	15-10-1973
			AR 194297 A	29-06-1973
			AR 194298 A	29-06-1973
			AR 200485 A	15-11-1974
			AT 317210 B	26-08-1974
			AT 319236 B	10-12-1974
			AU 461487 B	29-05-1975
			AU 4324672 A	13-12-1973

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/03496

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4119635 A		BE 786562 A	16-11-1972
		CA 1015361 A	09-08-1977
		CH 558372 A	31-01-1975
		CH 559195 A	28-02-1975
		CH 560707 A	15-04-1975
		DD 101574 A	12-11-1973
		DE 2235544 A	15-03-1973
		DE 2265212 A	04-11-1976
		DK 426576 A,B,	22-09-1976
		FR 2146482 A	02-03-1973
		GB 1351430 A	01-05-1974
		IE 37665 B	14-09-1977
		LU 65753 A	28-11-1972
		NL 7210145 A,B	24-01-1973
		NL 7513437 A,B,	27-02-1976
		SE 392901 B	25-04-1977
		SE 422325 B	01-03-1982
		SE 7506819 A	13-06-1975
		ZA 7203888 A	27-06-1973
<hr/>			